

## **SECTION 15450 - FIXTURES AND TRIM**

### **PART 1 - GENERAL**

#### **1.01 WORK INCLUDED:**

- A. Plumbing fixtures and trim.

#### **1.02 RELATED WORK:**

- A. Section 15400 - Plumbing systems.
- B. Section 15100 - Valves, cocks, and faucets.

#### **1.03 SUBMITTALS:**

- A. Submit manufacturer's product data and installation instructions in accordance with Section 15010.

#### **1.04 GENERAL REQUIREMENTS**

- A. Provide new fixtures, free from flaws and blemishes with finished surfaces clear, smooth and bright.
- B. Provide plumbing fittings. Visible parts of fixture brass and accessories shall be heavily chrome plated.
- C. Fixtures shall be product of one manufacturer. Fittings of same type shall be product of one manufacturer.
- D. Protect fixtures against use and damage during construction.

#### **1.05 JOB CONDITIONS:**

- A. Check millwork shop drawings. Conform location and size of fixtures and openings before rough-in and installation.

### **PART 2 - PRODUCTS**

#### **2.01 ACCEPTABLE MANUFACTURERS:**

- A. See plan.

### **PART 3 - EXECUTION**

#### **3.01 EXECUTION:**

- A. Install each fixture trap, easily removable for servicing and cleaning. At completion thoroughly clean plumbing fixtures and equipment.
- B. Provide chrome plated rigid or flexible supplies to fixtures with screwdriver stops, reducers and escutcheons.
- C. Install wall mounted urinals with approved wall carriers, model to suit installation.

**END OF SECTION 15450**