




ERECTOR NOTES

- 1) AT THE INSIDE CORNER OF A STRUCTURAL PARAPET OR CLOSED FASCIA SYSTEM, THE INSIDE CORNER TRIM NEEDS TO BE CLOSED OFF FOR WEATHERTIGHTNESS. THE DETAIL BELOW SHOWS THIS AREA AS "SHADED".
- 2) THIS AREA WILL BE CLOSED OFF BY USING RUBBER CLOSURES. THESE RUBBER CLOSURES WILL NEED TO BE FIELD MODIFIED TO FIT.
- 3) FIELD CAULK AS REQUIRED WITH TUBE CAULK MK. H3192.
- 4) SECTIONS "A" AND "B" SHOW "CLASSIC" ROOF PROFILE FOR REFERENCE ONLY. THE DETAIL APPLIES TO ALL ROOF TYPES.
- 5) REFERENCE THE "WALL SHEETING ERECTION NOTES" DETAIL FOR WALL PANEL FASTENER REQUIREMENTS.
- 6) REFER TO DETAIL 1/D10 FOR PARAPET GUTTER SPlice INSTRUCTIONS.
- 7) PARAPET GUTTER INSTRUCTIONS.



GUTTER TERMINATION AT BACK PANEL
"CFR" OR "VR16" ROOF



LEFT AND RIGHT PARAPET END CAP PART NUMBERS
USE P6A02 AT THE FAR END OF THE GUTTER
USE P6A03 AT THE NEAR END OF THE GUTTER


END CAP ORIENTATION DETAIL

- NOTES:
- 1) FIELD WELD THE PARAPET GUTTER END CAP TO THE PARAPET GUTTER.


- 2) RUBBER LINER FOR PARAPET GUTTERS IS NOT SUPPLIED BY NUCOR BUILDING SYSTEMS. INSTALL BEFORE THE ROOF PANELS ARE INSTALLED.

PARAPET GUTTER INSTALLATION DETAILS


1
D10




GUTTER TERMINATION AT BACK PANEL
"CLASSIC" ROOF



INSIDE CORNER DETAIL AT
PARAPET (OR FASCIA) GUTTER



SECTION B



SECTION A

DATE	P.E.	ENG.	CHK.	DWN.	ISSUE
11/26/08	JZ	JZ	JR	BW/EV	APPROVAL
01/29/09	JZ	JZ		TJF	REVISED APPROVAL
03/17/09	JZ	JZ		JH	PERMITS FOR APPROVAL
04/08/09				NJS	REVISED APPROVALS


NUCOR
BUILDING SYSTEMS
600 APACHE TRAIL
TERRELL, TX 75160
PHONE: (972) 524-5407
FAX: (972) 524-5417

PROJECT NAME:
ASHISH MISHRA
JACKSON, MS
CUSTOMER:
METAL BUILDERS SUPPLY
PEARL, MS

JOB NUMBER:
T08H0501A

SHEET NO:
D10 of 14

VALLEY/PARAPET GUTTER ERECTOR NOTE:
VALLEY AND PARAPET GUTTERS ARE DESIGNED TO FUNCTION AS FREE-FLOWING GUTTER SYSTEMS. THEY MUST BE DESIGNED WITH ADEQUATE DRAINAGE AND KEPT FREE OF DEBRIS AND OTHER MATERIALS THAT MAY RESRICT WATER FLOW. NUCOR RECOMMENDS THE USE OF HEAT TAPE TO REDUCE THE LIKELIHOOD OF ICE AND SNOW BUILD-UP IN THE GUTTER.



BACKER PANEL @ PARAPET

ERECTOR NOTE: ATTACHMENT OF BACKER PANEL TO STUD NOT BY NUCOR

GA0070

THIS SEAL PERTAINS ONLY TO THE MATERIALS DESIGNED AND SUPPLIED BY NUCOR BUILDING SYSTEMS. A NUCOR BUILDING SYSTEMS, A DIVISION OF NUCOR CORPORATION, THE DRAWINGS AND THE METAL BUILDING WHICH THEY REPRESENT ARE THE PRODUCT OF NUCOR BUILDING SYSTEMS. NUCOR RECOMMENDS THE USE OF HEAT TAPE TO REDUCE THE LIKELIHOOD OF ICE AND SNOW BUILD-UP IN THE GUTTER.