







Door Schedule									
ID	Sh	Door			Frame			Rating (minutes)	Remarks
		Width	Height	Trk	Elev	Half Fin	Head Detail		
101	1	4'-0"	7'-0"	1	ALUM	-	ALUM	8	AUTO ENTRANCE SLIDERS
102	1	4'-0"	7'-0"	1	ALUM	-	ALUM	9	AUTO ENTRANCE SLIDERS
103	1	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
104	2	3'-0"	7'-0"	1	3/4"	5	ALUM	16	PROVIDE EXIT DEVICE
105	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
106	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
107	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
108	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
109	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
110	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
111	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
112	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
113	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
114	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
115	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
116	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
117	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
118	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
119	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
120	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
121	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
122	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
123	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
124	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
125	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
126	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
127	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
128	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
129	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
130	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
131	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
132	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
133	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
134	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
135	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
136	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
137	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
138	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
139	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
140	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
141	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
142	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
143	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
144	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
145	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
146	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
147	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
148	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
149	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
150	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
151	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
152	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
153	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
154	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
155	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
156	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
157	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
158	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
159	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
160	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
161	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
162	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
163	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
164	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
165	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
166	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
167	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
168	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
169	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
170	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
171	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
172	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
173	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
174	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
175	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
176	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
177	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
178	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
179	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
180	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
181	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
182	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
183	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
184	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
185	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
186	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
187	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
188	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
189	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
190	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
191	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
192	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
193	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
194	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
195	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
196	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
197	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
198	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
199	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE
200	2	3'-0"	7'-0"	1	3/4"	5	ALUM	11	PROVIDE EXIT DEVICE



1 DOOR TYPES ELEVATION



Richard Molenaar
ARCHITECT



DOOR NOTES:

PROVIDE COMPLETE ELECTRONIC CARD
CARD OPERATED LOCKSET SYSTEM AS MARKED.
SYSTEM TO INCLUDE FRONT DECK UNIT, 1000
EA CARD KEYS, BACK UP CARD KEY KIT
AND TWO (2) SPARE CARD LOCKS.
EXTERIOR HOLLOW METAL DOORS TO OR FROM
CONDITIONED SPACES TO BE INSULATED.
DOOR HARDWARE SHALL CONFORM TO ADA &
GOVERNING HANDICAP CODE. ALL HOL. METAL
& WOOD DOORS TO HAVE LEVER SETS.
COORDINATE WITH MECHANICAL DRAWINGS FOR
DOORS REQUIRING GRILLES.

DOORS WITH RAILING TO HAVE CLOSERS.
EXCEPT DOOR "C".

GLAZING IN NON-RATED DOORS, STORM DOORS,
WITHIN 24 INCHES OF DOORS WITH 18 INCHES
ABOVE FINISHED FLOOR AND EXCEEDING
9 SQUARE FEET SHALL BE GLAZED OR WULFING
AND SHALL MEET THE TEST REQUIREMENTS OF
CPSC 16-CFR PART 1201 AND COMPLY WITH
ANSI Z97.1 [BC 2406.1, 2, AND 2406.3 (6) & (7)].

FIRE-RESISTANT RATED DOORS MUST HAVE
FIRE RATED FRAMES, HARDWARE, CLOSERS,
AND OTHER RATED ACCESSORIES.



PROJECT NAME
Riverwind Drive
Pearl, Mississippi

SHEET TITLE

Door Schedule & Details

PROJECT NO.
09018

LATEST REVISION
12/12/2011

DRAWN BY: mm

CHECKED BY: mm

DATE:
9/01/2011

A900