


LEGEND

- PROPERTY LINE
- EXISTING UNDERGROUND TELEPHONE
- EXISTING OVERHEAD POWER
- EXISTING DITCH TOP BANK
- EXISTING DITCH TOE OF SLOPE
- EXISTING DITCH CENTERLINE/FLOW DIRECTION
- EXISTING FIRE HYDRANT
- EXISTING GATE VALVE
- EXISTING WATER MAIN (SIZE AS SHOWN)
- EXISTING STORM DRAIN CULVERT
- EXISTING SANITARY SEWER
- PROPOSED SANITARY SEWER LINE (SIZE AS SHOWN)
- PROPOSED SANITARY SEWER CLEANOUT
- PROPOSED WATER LINE (SIZE AS SHOWN)
- PROPOSED GATE VALVE
- PROPOSED WATER METER
- PROPOSED STORM DRAIN CULVERT
- PROPOSED NYLOPLAST BASIN w/ CURB INLET
- PROPOSED NYLOPLAST BASIN w/ GRATE INLET
- PROPOSED ADS DROP GRATE
- PROPOSED DIRECTION OF STORM WATER RUNOFF/SWALE LOCATION
- EXISTING CONTOUR
- EXISTING SPOT ELEVATION

- NOTES:**
- SEE NOTES ON SHEET C1.1 FOR MORE INFORMATION.
 - CONTRACTOR TO CONTACT MISSISSIPPI ONE CALL AT 601-362-4374 FOR A LOCATE PRIOR TO BEGINNING CONSTRUCTION.
 - CONTRACTOR TO VERIFY EXISTING LOCATION AND ELEVATION OF ALL UTILITY INFRASTRUCTURE REQUIRED FOR COMPLETION OF THIS PROJECT IN FULL PRIOR TO BEGINNING ANY ASPECT OF CONSTRUCTION. THIS INCLUDES ALL ON-SITE AND OFF-SITE UTILITIES AS REQUIRED. SHOULD ANY DISCREPANCIES BE FOUND THEY SHALL BE IMMEDIATELY BROUGHT TO THE ENGINEER'S ATTENTION IN WRITING TO RECEIVE FURTHER INSTRUCTION.
 - INVERT ELEVATIONS SHOWN ON THE PLANS AND CONSTRUCTION STAKES FOR THE STORM DRAIN STRUCTURES AND CULVERTS REPRESENT THE FLOWLINE. CONTRACTOR TO ACCOUNT FOR PIPE OR STRUCTURE THICKNESS WHEN INSTALLING.
 - CONTRACTOR SHALL COORDINATE ALL WORK DIRECTLY INVOLVING CROSSING OR IN THE VICINITY OF AN EXISTING UTILITY LINE WITH UTILITY PROVIDER/OWNER.
 - WATER AND SANITARY SEWER LINES TO BE INSTALLED ACCORDING TO THE PROJECT DETAILS AND SPECIFICATIONS.
 - CONTRACTOR TO COMPARE THE PROPOSED SIZE AND PROPOSED BUILDING TIE-IN LOCATION OF ALL WATER AND SANITARY SEWER LINES WITH THE BUILDING/PLUMBING PLANS PRIOR TO CONSTRUCTION.
 - IRRIGATION LINE AND METER SIZE TO BE COORDINATED WITH IRRIGATION PLAN.



THE DRAWING AND SPECIFICATIONS SHALL BE THE PROPERTY OF BENCHMARK ENGINEERING, LLC AND NO PART HEREOF SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF BENCHMARK ENGINEERING, LLC.

BENCHMARK
Engineering & Surveying, LLC
101 Highpointe Court, Suite B, Brandon, Mississippi 39042
Office: 601-591-1077 Fax: 601-591-5911
E-mail: benchmark@benchmarkms.net

DATE: 09/08/11
DRAWN: GAB
ALIGN:
REVISED:

A NEW SITE FOR:
COURTYARD BY MARRIOTT
RIVERWIND DRIVE
CITY LIMITS OF PEARL, MS

CONTENTS:
UTILITY LAYOUT

ALL ENGINEERING WORK SHALL BE DONE IN ACCORDANCE WITH THE PROFESSIONAL SEAL OF THE ENGINEER OF MISSISSIPPI.
Gregory S. Bonds
16335
07/08/11

SHEET NUMBER
C3.1
PROJECT NUMBER
B-2846