

### TYPICAL GUESTROOM DEMOLITION NOTES:

- G1 REMOVE ALL FURNITURE
- G2 REMOVE CARPET & CARPET BASE
- G3 REMOVE THRESHOLD
- G4 REMOVE DRAFTERY
- G5 REMOVE WALL MOUNTED LIGHT FIXTURES (PATCH AND REPAIR WALL)
- G6 REMOVE LAVATORY AND MIRROR (ACCESSIBLE ROOMS ONLY)
- G7 REMOVE COAT RACK (ACC. AND KING SUITE ROOMS ONLY)

### TYPICAL DEMOLITION KEYED NOTES


- T1 REMOVE WALL
- T2 REMOVE DOOR AND FRAME
- T3 REMOVE WINDOW
- T4 REMOVE FIREPLACE AND PREPARE FOR RE-USE
- T5 REMOVE CARPET
- T6 REMOVE BASE
- T7 REMOVE VINYL WALL COVERING
- T8 REMOVE FLOOR TRANSITION STRIP
- T9 REMOVE CROWN MOLDING & CHAIR RAIL
- T10 REMOVE LIGHT FIXTURES
- T11 REMOVE WALL MOUNTED TELEVISION
- T12 REMOVE FURNITURE
- T13 REMOVE DRAFTERY
- T14 REMOVE TRASH RECEPTACLES
- T15 REMOVE COUNTERTOP
- T16 REMOVE MILLWORK FACE PANELING
- T17 REMOVE TELEPHONES AND SHELF AND REPAIR WALL
- T18 REMOVE ALUM. AND GLASS STOREFRONT

### DEMOLITION LEGEND

---	TO BE REMOVED
---	EXISTING TO REMAIN

### SECOND FLOOR DEMOLITION PLAN

SCALE: 3/32" = 1'-0"



### KEY LEGEND

◇	WALL TYPE KEY (SEE SHEET A5.1)
□	ROOM FINISH KEY (SEE SHEET A5.1)
Ⓐ	DOOR KEY (SEE SHEET A5.1)
Ⓐ	ELEVATION KEY (SEE SHEET NUMBER INSIDE OF KEY)
Ⓐ	WINDOW KEY (SEE SHEET A5.1)

### SECOND FLOOR PLAN

SCALE: 3/32" = 1'-0"



- DEMOLITION NOTES:**
- ALL DIMENSIONS TO BE VERIFIED IN FIELD.
  - DEMOLITION OF A WALL INCLUDES THE DISCONNECTION AND REMOVAL OF UTILITIES, ELECTRICAL, OUTLETS, SWITCHES, FIXTURES, ETC.
  - EXISTING CONDITIONS SHOWN ARE BASED ON THE ORIGINAL PLANS AND PHOTOGRAPHS. IT SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO INSPECT THE EXISTING CONDITIONS AND TO INCLUDE IN THE CONTRACT ALL WORK NECESSARY TO PROVIDE AND INSTALL THE DESCRIBED SYSTEMS WHETHER OR NOT THESE DRAWINGS INDICATE ALL EXISTING CONDITIONS AFFECTING THE WORK.
  - OPERATION OF EXISTING FACILITIES MUST CONTINUE DURING CONSTRUCTION STAGES. CONTRACTOR MUST COOPERATE WITH OPERATING PERSONNEL TO AVOID OPERATIONAL DISRUPTIONS. GIVE ADEQUATE NOTICE BEFORE NECESSARY DISRUPTION OF SERVICES.
  - THE INTENT OF THE DEMOLITION SHOWN ON THE PLANS IS TO HELP THE CONTRACTOR LOCATE AND IDENTIFY MAJOR ELEMENTS OF THE EXISTING BUILDING WHICH NEED TO BE DEMOLISHED, RELOCATED, OR OTHERWISE REWORKED TO ACCOMPLISH THE REMODELING OF THIS PROJECT. IT IS NOT A COMPLETE LIST OF DEMOLITION ITEMS. CONTRACTOR IS RESPONSIBLE FOR LOCATING OTHER ITEMS WHICH NEED TO BE DEMOLISHED, REMOVED, RELOCATED OR REWORKED TO COMPLETE THE PROJECT.
  - PRIOR TO CONSTRUCTION GENERAL CONTRACTOR SHALL VERIFY ALL ITEMS SHOWN AS EXISTING ON THESE DRAWINGS AND NOTIFY THIS OFFICE OF ANY DISCREPANCIES.
  - CONTRACTOR MUST TAKE PRECAUTIONS TO PROTECT OWNER'S PROPERTY FROM CONSTRUCTION OPERATIONS. BOUNDARY OF CONTRACTOR'S WORK AND STORAGE AREAS WILL BE DEFINED TO MUTUAL AGREEMENT BY CONFERENCE.
  - SHOULD FIELD CONDITIONS DIFFER FROM PLANS TO THE EXTENT UNNECESSARY COSTS ARE INCURRED OR DELAYS ARE ANTICIPATED, THE OWNER AND ARCHITECT SHALL BE CONSULTED. AN ALTERNATE SCHEME, IF POSSIBLE WILL BE ESTABLISHED TO ATTEMPT TO SOLVE THE PROBLEM DISCOVERED.

### GENERAL NOTES:

- ALL DIMENSIONS ARE TO CENTERLINE OR TO FACE OF FINISHED WALL UNO.
- SEE SHEET A5.1 FOR WALL TYPES.
- ALL OUTSIDE CORNERS OF INTERIOR WALLS TO HAVE FULL HEIGHT OPAQUE CORNER GUARDS TO MATCH WALL VINYL COLOR, FROM THE TOP OF THE BASE TO THE CEILING.
- SECURITY CLEAT ALL ARTWORK TO WALLS.
- PROVIDE FAIRFIELD INN LOGO WALK-OFF MAT OUTSIDE ENTRANCE DOORS.
- PATCH AND REPAIR ALL GYPSUM BOARD WALLS AND PREPARE FOR NEW FINISH.
- PROVIDE BLOCKING FOR ALL ACCESSORIES, BUILDING ITEMS, AND OWNER FF&E ITEMS THAT ARE WALL OR CEILING MOUNTED.
- PROVIDE FIREPROOFING MATERIALS AT ALL EXISTING PENETRATIONS THROUGH EXISTING WALLS AND FLOORS TO MAINTAIN FIRE RATING.

### TYPICAL FF&E NOTES:

- PROVIDE ALL NEW FF&E (CHAIRS, SOFA, TABLES, TABLE LAMPS, ARTWORK, FLORALS, ETC.) AT ALL PUBLIC AREAS.
- REMOVE ALL MISCELLANEOUS ITEMS NOT IDENTIFIED IN THE FAIRFIELD INN SYSTEM STANDARDS MANUAL SUCH AS PLAQUES, MESSAGE BOARDS, WALL HANGINGS, ETC. FROM LOBBY.
- PROVIDE NEW TRASH RECEPTACLES PER STANDARDS AT ALL PUBLIC AREAS.
- PROVIDE NEW "PROMISE" POSTER AND "HERITAGE" POSTER IN LOBBY.
- RE-POT ALL LIVE PLANTS IN LOBBY. ENSURE PLANTS ARE HEALTHY AND FOLIAGE IS DENSE.
- PROVIDE NEW STANDARD DRAPEY TREATMENT AT ALL PUBLIC AREAS INCLUDING GUESTROOM CORRIDORS.

### GUESTROOM FF&E NOTES:

- PROVIDE ALL NEW FURNITURE AND FURNISHINGS PER STANDARD TO INCLUDE SOFT SEATING, LIGHTING, ARTWORK AND DRAPEY.
- PROVIDE 9" MATTRESS PER NEW STANDARD.
- PROVIDE NEW 25" TELEVISION MOUNTED ON SWIVEL FOR ALL GUESTROOMS.
- TOUCH UP CASEGOODS TO LIKE-NEW CONDITION.
- ALL CASEGOOD FULLS ARE TO MEET ACCESSIBILITY STANDARDS. REPLACE AS REQUIRED.
- KING GUESTROOM LOUNGE CHAIRS ARE TO HAVE MATCHING OTTOMANS, WHERE SPACE ALLOWS.
- PROVIDE 3 TRACK DRAPEY SYSTEM PER STANDARDS WITH OVER-DRAPE/BLACKOUT LINING, SHEERS AND SIDE PANELS.
- PROVIDE 25" TELEPHONE CORDS IF NOT EXISTING.
- PROVIDE 2 TELEPHONES IN ALL KING SUITE ROOMS.
- PROVIDE FULL LENGTH FRAMED MIRRORS (IF NOT EXISTING) IN ALL KING SUITE ROOMS.
- HAIR DRYERS AND COFFEE SERVICE ARE REQUIRED IN ALL KING SUITE ROOMS.
- INSTALL NEW RUBBER THRESHOLD AT ALL ENTRY DOORS AND CONNECTING DOORS TO MATCH WIDTH OF EXISTING FRAME.
- PROVIDE SPLIT CLOSET RACK IN ACCESSIBLE GUESTROOM CLOSETS.
- PROVIDE ERGONOMIC DESK CHAIR IN ACCESSIBLE GUESTROOMS.
- REPLACE ALL LAVATORY FAUCETS AT ALL GUESTROOM BATHS. (MUST HAVE HOT & COLD WATER INDICATORS)
- REMOVE AND REPLACE ANY HARDWARE IN BATHS THAT IS BENT OR DAMAGED. DEEP CLEAN ALL ITEMS TO REMAIN.
- REPLACE ANY GUESTROOM PTAC UNITS THAT ARE NOT IN GOOD WORKING ORDER.
- PROVIDE MINI-HORNS AND SPRINKLERS IN ALL GUESTROOMS WHERE THEY DO NOT EXIST.
- COVER/REPAIR ALL SMOKE DETECTORS MEET MARIOTT INTERNATIONAL FIRE PROTECTION STANDARDS, MODULE 1A.
- ALL OUTSIDE CORNERS OF INTERIOR WALLS TO HAVE FULL HEIGHT OPAQUE CORNER GUARDS FROM TOP OF BASE TO CEILING.
- SECURITY CLEAT ALL ARTWORK TO WALLS.
- HIGH-SPEED INTERNET SERVICE MUST BE PROVIDED AT ALL GUESTROOMS.
- TOUCH UP ALL EXISTING GUESTROOM DOORS TO LIKE NEW CONDITION.
- CLEAN EXISTING FLOOR TILE IN BATHS TO LIKE NEW CONDITION. RAKE AND RE-GROUT AS REQUIRED.
- EXISTING BATH EXHAUST FAN NOISE SHALL NOT EXCEED 15 SONES. REPLACE FANS AS REQUIRED.

COPYRIGHT BY LLW ARCHITECTS, INC. WARNING: UNAUTHORIZED COPYING VIOLATES U.S. COPYRIGHT LAWS AND WILL SUBJECT THE VIOLATOR TO LEGAL PROSECUTION.

**LLW Architects, Inc.**  
803 S. Mount Meriah Suite 100B  
Memphis, TN 38117  
Business 901-683-7175  
Fax 901-683-2385  
e-mail: llw@llwarchitects.com

revisions:

seal:

**Marriott**  
**FAIRFIELD**  
**INN & SUITES**  
Renovation  
Pearl, Mississippi

title:  
SECOND FLOOR PLAN

date: 10-08-04  
job: 1504  
file: 1504-A22  
scale: A5 NOTED  
drawn by: 9DC

sheet  
A2.2  
of 18