



David Lane Beird & Associates, Inc.
Commercial Parkway
West Monroe, LA 71294
Phone: (318) 388-3227
Email: fgadberry@dlbengineering.com

CONTACT:
 Mechanical Engineering
 3 Arroyo Vista Lane
 Matthews, NC 28014
 Phone: (704) 516-0385
 Fax: (704) 644-1464
 Email: shane@rittereng.com


[illegible]

**Southern Hospitality
Services**

00 I-20 & Frontage Rd.
Monroe, LA 71201

Project No.	12-111
Prepared by	Author
Checked by	Checker
Date	Sept. 16, 2013

Hampton Inn and Suites



M
U-906 BEARING WALL
1 HOUR RATED

EXTERIOR MASONRY ON
CMU WALL WITH
STUCCO. HEIGHT OF
MASONRY VARIES. SEE
ELEVATIONS.

EXTERIOR MASONRY WALL	DESCRIPTION
<p>E</p> <hr/> <p>UL: U902: CMU WITH BRICK BEARING WALL - 4HOUR</p> <p>UL: U906: CMU WITH STUCCO BEARING WALL - 2HOUR</p>	<p>EXTERIOR MASONRY ON CMU WALL WITH STUCCO. HEIGHT OF MASONRY VARIES. SEE ELEVATIONS.</p>



1 Wall types
1 1/2" = 1'-0"