



CIVIL:
David Lane Beaird & Associates, Inc.
105 Commercial Parkway
West Monroe, LA 71294
Phone: (318) 388-3227
Email: fgadberry@dlbengineering.com

mail: don@shultzeg.com

Information contained on this drawing and all digital files associated is authorized for use on the project named herein only and is the property of MISHRA ARCHITECTURE PLLC and may not be reproduced in any manner without express written or verbal permission from authorized individuals. Original drawing is 4"x36" and scales are as indicated. ©2013 MISHRA ARCHITECTURE PLLC



Southern Hospitality Services

Hampton Inn and Suites


5400 I-20 & Frontage Rd.
Monroe, LA 71201

Drawing Title

Phase Construction Documents

Date Sept. 16, 2013

released for
PERMIT ONLY



FIRE WALL LEGEND

INDICATES ONE HOUR FIRE RATED WALL CONSTRUCTION AS PER UL STANDARDS

INDICATES TWO HOUR FIRE RATED WALL CONSTRUCTION AS PER UL STANDARDS

NOTE:

1. ALL FIRE-RATED WALLS TO EXTEND TO STRUCTURE ABOVE AS PER FIRECODE.
2. ALL OPENINGS NEED TO MEET REQUIREMENTS.
3. STAIRWELLS, ELEVATOR SHAFTS, MECHANICAL & WATER HEATER ROOMS, FLOOR TO FLOOR CHASE TO BE 2-HOUR RATED CONSTRUCTION.