

THESE DRAWINGS, DESIGNS, SKETCHES, IDEAS & ARRANGEMENTS ARE THE SOLE & EXCLUSIVE PROPERTY OF LEE GAGE & ASSOCIATES, AND WERE CREATED AND DEVELOPED BY AND FOR THE ARCHITECT'S EXCLUSIVE USE ON AND IN CONJUNCTION WITH THE ARCHITECT'S WORK. NOTHING CONTAINED OR REPRESENTED ON THESE DOCUMENTS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM OR CORPORATION FOR ANY PURPOSE, WITHOUT EXPRESSED WRITTEN CONSENT OF LEE GAGE & ASSOCIATES.

PROPOSED:
HAMPTON INN
CORPORATE DRIVE
SOUTH SAN FRANCISCO, CA.

by _____ date _____

drawn _____


checked _____

revised _____

revised _____

project no. _____

Sheet
S4
SET NO. _____



C:\SDSKPROJ\1\SOUTHSF0\DWG\SF0-S4.DWG

BEAM & JOIST SCHEDULE

BEAM NO.	BEAM SIZE	BEARING ELEVATION	REMARKS
J1	11 7/8" DEEP 1-JOIST (24" O.C.)	9'-9 1/4"	TJPRO/250 TYPICAL THRU-OUT BUILDING (U.N.O.)
J2	11 7/8" DEEP 1-JOIST (24" O.C.)	9'-9 1/4"	TJPRO/250 TYPICAL WITHIN CORRIDOR AREAS
J3	2x10 D.F. #1 FLOOR JOIST (16" O.C.)	VARIES	LANDINGS @ STAIRWELLS
H1	6x12 D.F. #2 HEADER	VARIES	EXTERIOR WINDOW HEADERS
H2	6x8 D.F. #2 HEADER	VARIES	INTERIOR CORRIDOR HEADERS
H3	6x8 D.F. #2 HEADER	VARIES	INTERIOR CORRIDOR DOOR HEADERS
B1	1 3/4" X 11 7/8" DP, 1.8E LVL	9'-9 1/4"	TRUSS-JOIST MICROSLAM LVL

NOTE:
TRUSS DRAWINGS TO BE SUBMITTED WITHIN 30 DAYS OF PERMIT ISSUANCE. NO INSPECTIONS WILL BE MADE IF TRUSS DRAWINGS ARE NOT APPROVED AFTER 30 DAYS OF PERMIT ISSUANCE. (TRUSS DRAWINGS TO BE SUBMITTED BY TRUSS MANUFACTURER)
APPROVED TRUSS DRAWINGS & CALC'S. MUST BE ON SITE FOR INSPECTION PURPOSES.

FLOOR SHEATHING NOTES:

- 3/4" STRICT II PLYWOOD SHEATHING/UNBLOCKED (48/24) TAG
- NAIL W/10d @ 6" O.C. (JOINT, EDGES)
- NAIL W/10d @ 12" O.C. (FIELD)
- RUN PERPENDICULAR TO JOIST /TYP. ALL AREAS
- PROVIDE MINIMUM B.L.G.' @ ALL FLOOR JOISTS PER MFG. RECOMMENDATIONS
- PROVIDE DBL. FLOOR JOISTS UNDER ALL BEARING WALLS
- MAX. OFFSET ONE JOIST DEPTH
- PROVIDE STUD UNDER ALL FLOOR JOISTS/ ROOF TRUSSES.

