L	Angle
Φ	Diameter or Round
#	Pound or Number
&	And
@	At
ACOUS.	Acoustical
A.D.	Area Drain
ADJ.	Adjustable
A.F.F.	Above Finish Floor
AGGR.	Aggregate
ALUM.	Aluminum
APPROX.	Approximate
ARCH.	Architect
ASPH.	Asphalt
AVG.	Average
BD	Board
BITUM.	Bituminous
BLDG.	Building
BLK.	Block
BLKG.	Blocking
B.M.	Bench Mark
BM.	Beam
BOT.	Bottom
BRK.	Brick
BRKT.	Bracket
BSMT	Basement
B.U.R.	Built-Up Roofing
CAB.	Cabinet
CPT.	Carpet
C.B.	Catch Basin
CEM.	Cement
CM	Centimeter
CER.	Ceramic
C.G.	Corner Guard
C.I.	Cast Iron
CL.	Center Line
CLG.	Ceiling
CLKG.	Caulking
CLO.	Closet
CLR.	Clear
CMU	Concrete Masonry Unit
CNTR	Counter
C.O.	Cased Opening
COL.	Column
CONC.	Concrete
CONN.	Connection
CONST.	Construction
C.J.	Construction Joint
CONT.	Continuous
CORR.	Corridor
CRSE.	Course
CTR.	Center
CTSK.	Countersunk
DBG	Detention Bar Grating
DBL.	Double
DEPT.	Department
DET.	Detail
D.F.	Drinking Fountain
DIA.	Diameter
DIM.	Dimension
DISP.	Dispenser
DN.	Down
D.O.	Door Opening
DR.	Door
DS.	Downspout
D.S.P.	Dry Standpipe
DWG.	Drawing
DWR.	Drawer
E.	East
EA.	Each
EIFS	Exterior Insulation/Finish System
E.J.	Expansion Joint
EL.	Elevation
ELEC.	Electrical
ELEV.	Elevator
EMER.	Emergency
ENCL.	Enclosure
E.P.	Electrical Panelboard
EQ.	Equal
EQUIP.	Equipment
E.W.C.	Electric Water Cooler
EXH.	Exhaust
EXIST.	Existing
EXP.	Expansion
EXPD.	Exposed
EXT.	Exterior
F.A.	Fire Alarm
F.B.	Flat Bar
F.D.	Floor Drain
FDN.	Foundation

G.C.	General Contractor
H.B.	Hose Bibb
H.C.	Hollow Core
HCP.	Handicapped
HDWD.	Hardwood
HDWE.	Hardware
HGT.	Height
H.M.	Hollow Metal
HORIZ.	Horizontal
HR.	Hour
HVAC	Heating, Ventilating, & Air Conditioning
IN.	Inch
I.D.	Inside Diameter (Dim.)
INSUL.	Insulation
INT.	Interior
JAN.	Janitor
JT.	Joint
JST.	Joist
KIT.	Kitchen
KD.	Knockdown
LAB.	Laboratory
LAM.	Laminate
LAV.	Lavatory
L.F.	Linear Feet
LKR.	Locker
LT.	Light
MAX.	Maximum
M.C.	Medicine Cabinet
MECH.	Mechanical
MEMB.	Membrane
MET.	Metal
MFR.	Manufacturer
MH.	Manhole
MIN.	Minumum
MIR.	Mirror
MISC.	Miscellaneous
M.O.	Masonry Opening
MM.	Millimeter
MTD.	Mounted
MUL.	Mullion
N.	North
N.I.C.	Not In Contract
NO. or #	Number
NOM.	Nominal
N.C.	Non Combustible
N.T.S.	Not To Scale
N/A	Not Applicable
O.A.	Overall
OBS.	Obscure
O.C.	On Center
O.D.	Outside Diameter (Dim.)
O.F.C.I.	Owner Furnished Contractor Installed
O.F.O.I.	Owner Furnished Owner Installed
OPNG.	Opening
OPP.	Opposite
PCS.	Pieces
PL.	Plate
P. LAM.	Plastic Laminate
PLAS.	Plaster
PLYWD.	Plywood
PR.	Pair
PRCST.	Precast
P.S.F.	Pounds Per Sq. Ft.
P.S.I.	Pounds Per Sq. In.
PT.	Point
PTD.	Painted
P.T.D.R.	Combination Paper Towel Dispenser & Receptacle
PTN.	Partition
P.T.R.	Paper Towel Receptacle
PTW.	Pressure Treated Wood
PVC	Polyvinyl Chloride
Q.T.	Quarry Tile
QTY.	Quantity

S.	South
S.C.	Solid Core
S.C.D.	Seat Cover Dispenser
SCHED.	Schedule
S.D.	Soap Dispenser
SECT.	Section
SH.	Shelf
SHR.	Shower
SHT.	Sheet
SIM.	Similar
S.N.D.	Sanitary Napkin Dispenser
S.N.R.	Sanitary Napkin Receptacle
SPEC.	Specification
SQ.	Square
S. SK.	Service Sink
S. STL.	Stainless Steel
STA.	Station
STD.	Standard
STL.	Steel
STOR.	Storage
STRUCT.	Structural
SUSP.	Suspended
SYM	Symmetrical
T	Thermostat
T.B.	Towel Bar
T & B	Top & Bottom
T.O.C.	TOP of Curb
TEL.	Telephone
T & G	Tongue and Grove
T.O.P.	Top of Pavement
T.P.D.	Toilet Paper Dispenser
T.V.	Television
T.O.W.	Top of Wall
TEMP.	Temperature
TER.	Terrazzo
THK.	Thick
TH.	Threshold
TRD.	Tread
TYP.	Typical
U.O.N.	Unless Otherwise Noted
UNFIN.	Unfinished
UL	Underwriters Laboratories
UR.	Urinal
V.R.	Vapor Retarder
VCT.	Vinyl Composition Tile
VEST.	Vestibule
V.W.C.	Vinyl Wall Covering
W.	West
W/	With
W.C.	Water Closet
WD.	Wood
W/O	Without
WP.	Waterproof
WSCT.	Wainscot
WT.	Weight
YD.	Yard

F.E.	Fire Extinguisher
F.E.C.	Fire Extinguisher Cabinet
F.H.C.	Fire Hose Cabinet
F.O.C.	Face of Concrete
F.O.F.	Face of Finish
F.O.S.	Face of Studs
F.S.	Full Size
FIN.	Finish
FL.	Floor
FLASH.	Flashing
FLUOR.	Fluorescent
FPRF.	Fireproof
FRTW.	Fire Retardant Treated Wood
FT.	Foot or Feet
FTG.	Footing
FURR.	Furring
FUT.	Future
GA.	Gauge
GALV.	Galvanized
G.B.	Grab Bar
GL.	Glass
GND.	Ground
G.P.H.	Gallons Per Hour
GR	Grade
GYP	Gypsum

R.	Riser
RAD.	Radius
R.A.	Return Air
R.D.	Roof Drain
REF.	Reference
REFR.	Refrigerator
REINF.	Reinforced
REQ.	Required
RESIL.	Resilient
RGTR.	Register
REV.	Revision
RM.	Room
R.O.	Rough Opening
R.O.W.	Right of Way
RWD.	Redwood
R.W.L.	Rain Water Leader

Architectural Abbreviations:



Architectural Material Symbols:

No Scale

PROJECT NAME: HOLIDAY INN EXPRESS

PROJECT ADDRESS: Underwood Drive
Vicksburg, Mississippi

OWNERS ADDRESS: 84 Grandview Circle
Brandon, MS 39047

ZONING: C-4 General Commercial

GENERAL NOTES

I. GOVERNING CODES:

A. 1997 Standard Building Code (SBC) w/Local Amendments

B. 1994 ADA Accessability Guidelines

C. 1996 Nationl Electrical Code

I. BUILDING CHARACTERISTICS

A. Building Height: 3 Stories

B. Building Area : Ground Floor 13,792 SQ. FT.
2nd Floor 13,106 SQ. FT.
3rd Floor 13,652 SQ. FT.

TOTAL AREA 40,550 SQ. FT.

III. SBC CRITERIA:

A. Occupancy – R1 (Motel)

B. Construction – Type IV –Unprotected – Sprinklered (Table 500)

IV. MINIMUM FIRE RESISTANCE RATING (IN HOURS) OF STRUCTURAL ELEMENTS & WALLS (TABLE 600 & 700)

A. Exterior Bearing Walls (3' to 10' Horiz. Sep.)	NC
B. Interior Bearing Walls	NC
C. Exterior Nonbearing Walls Over 10 ft. to 20 ft. From Property Line	NC
D. Columns & Beams	NC
E. Shafts (Including Stairway & Linen Drop)	1 Hr. (Interior Walls)
F. Guest Rooms Separation	1 Hr
G. Exit Access Corridor Enclosures	1 Hr
H. Laundry Chute Access & Termination Rooms	1 Hr
I. All Other Walls	0 HR
J. Floor/Ceiling Construction	NC
K. Roof/Ceiling Construction	1 HR

V. INTERIOR FINISHES – CLASS C

Building Code Analysis:

No Scale



Reference Symbols:

No Scale

DESIGN CONSULTANTS

Richard Molenaar
ARCHITECT

PROJECT NAME:

Holiday Inn Express
HOTEL & SUITES
Underwood Road
Vicksburg, MS 38671

SHEET TITLE:

PROJECT NO.

LATEST REVISION:

DRAWN BY: CHECKED BY:

SHEET NUMBER:

DATE:

G002