



100 — Room Number

Room Name — Room Name

A/A/A/A

Ceiling Finish

Wall Finish

Base Finish

Floor Finish

- A. Thin Set Marble Tile, 18" x 18"
Contr. Furn. Contractor installed (C.F.C.I.)
- B. Thin Set Porcelain Tile
Contr. Furn. Contractor installed (C.F.C.I.)
- C. Carpet and Pad (O.F.C.I.)
- D. Vinyl Composition Tile
- E. Ceramic Tile
- F. Concrete, Sealed
- G. Painted Concrete

1. 4" Vinyl
2. Ceramic Tile
3. 4" Carpet w/Top Binding Edge
4. Match Flooring
5. Wood Base See Det., Sheet A
6. None Required

Walls

- A. Painted Gyp. Bd. (Eggshell Oil Base Enamel)
- B. 4" Ceramic Tile
- C. Wallcovering (O.F.C.I.)
- D. Painted Gyp. Bd. (Semi-gloss Oil Base Enamel)
- E. Painted Concrete Masonry Units

- 1. Spray Arislex on Gyp. Bd.
- 2. Spray Arislex on Concrete Structural Deck
- 3. New Ceiling Panel System Identical to Armstrong 551 Chamfered Cross Pattern, 24"x24"x1/2" Regular Lay-in for Supraflex 3/16" Exposed Tee Grid, Panel 4 Grid Colour Selected By Interior Designer From Standard Colour Selections.
- 4. Painted Gyp. Bd. (Smooth Finish) Colour Selected By Interior Designer.
Oil Base Enamel
- 5. New Ceiling Panel System Identical to Armstrong
602B Caramagand Nonperforated Square Lay-in, Med. Texture 24"x24"x3/8" for Prelude 5/16" Exposed Tee Grid, Panel 4 Grid Colour Selected By Owner From Standard Colour Selections.
- 6. Unfinished Structural Deck

Holiday Inn Express
HOTEL & SUITES
Underwood Road
Vicksburg, MS 38671

PROJECT NO
01005

DATE:
05/13/02

A102



<u>KING RM6</u>	<u>DBL QUEEN RM6</u>	<u>SUITES</u>	<u>TOTAL</u>
11	5	2	18

FIRESTOP SYSTEMS SCHEDULE				
PENETRATING ITEM	TYPE OF WALL OR FLOOR	DESIGN RATING (HRS.) MAX.	SYSTEMS	
			3M DUG.	UL JUSTIFICATION
METAL PIPE OR CONDUIT	CONC. BLK OR CONC. WALL	2	MDW4101	202
	GYP. WALL ASSY.	1	MPG2B01	147(A)
COPPER PIPE	CONC. BLK OR CONC. WALL	2	-	-
	GYP. WALL ASSY.	1	MPG2B01	147(B)
PLASTIC PIPE	CONC. BLK OR CONC. WALL	2	FPFUT02	562
	GYP. WALL ASSY.	1	FPG2603	148(B)

SUB-CONTRACTOR PROVIDING PENETRATING ITEM THROUGH FIRE RESISTIVE ASSEMBLY REQUIRED BY CODE (RATED INTERIOR WALL OR STRUCTURAL FLOOR) SHALL PROVIDE FIRESTOP SYSTEM IN ACCORDANCE WITH SCHEDULE.

3M FIRE PROTECTION PRODUCTS 800-328-1687

FEC TYPE 2A FIRE EXTINGUISHER &
APPROPRIATE SEMI-RECESSED
CABINET (MAX. PROJECTION: 4".
SEE 4/160)

FE TYPE 2A FIRE EXTINGUISHER
BRACKETED TO WALL

REV. DRAIN IN REVERSE

2 PLAN DETAIL

3/4"-1" $\odot$

ALUM. & GL. STOPPERS

ALUM. &
SLNT &

1" E.I.F.S.



—

PLAN

PLAN

$$3/4'' = 1' - 0$$