

1 Firewall Level 2 1/8" = 1'-0" $\left(\right)$

FIRE WALL LEGEND

Level	Space	Area Sq. Ft.	Occupancy Classification	Area/Occupant Load	Occupant Load
1ST	ASSEMBLY	2,717	A-3	15	181
1ST	STORAGE/MECH.	1,430	S-2	300	5
1ST	LAUNDRY	469	F-1	100	5
1ST	OFFICE	651	В	100	7
1ST	RESIDENTIAL	6,318	R-1	200	32
2ND	RESIDENTIAL	10,492	R-1	200	52
2ND	STORAGE/MECH.	727	S-2	300	2
3 TO 5	RESIDENTIAL	10,823	R-1	200	54
3 TO 5	STORAGE	396	S-2	300	1

NOTE: ALL DEMISING WALLS BETWEEN GUEST ROOMS TO BE 1 HOUR FIRE RATED. ALL CORRIDOR WALLS TO BE 1 HOUR FIRE RATED ALL VERTICAL SHAFTS BETWEEN FLOORS TO BE 2 HOUR FIRE RATED.



ARCHITECTURE PLLC

6800 S Creek Rd, Charlotte, NC 28277 Ph: (704) 625-6554 Fax: (704) 919-5822 EMAIL:ashish@mishraarch.com WEB: www.mishraarch.com

<u>CIVIL:</u> Benchmark Engineering and Surveying 101 Highpointe Court, Suite B Brandon, MS 39042 Phone: (601) 591-1077 Fax: (601) 591-0177 Email:mikebes@bellsouth.net

<u>STRUCTURAL:</u> WGPM, Inc. 11220 Elm Lane, Suite 201 Charlotte, NC 28277 Phone: (704) 542-7199 Fax: (704) 542-7195 Email: lwright@wgpminc.com

<u>MEP:</u> Allied Consulting Engineers 2905-D Queen City Drive Charlotte, NC 28208 Phone: (704) 399-3943 Email: asoler@allied-engineers.com

	REVI	SIONS
No.	Date	Description

Information contained on this drawing and in all digital files associated is authorized for use on the project named herein only and is the property of MISHRA ARCHITECTURE PLLC and may not be reproduced in any manner without express written or verbal permission from authorized individuals. Original drawing is 24"x36" and scales are as indicated. 2013 MISHRA ARCHITECTURE PLLC



<u>KEY PLAN</u>

Shiva Southaven Inc.

Holiday Inn Express & Suites

Lot 16 (Rev Lot 3) Southcrest Pkwy. Southcrest Subdivision Southaven, MS 38671

Drawing Title Firewall Plan 2nd Floor

Constructio	n Documer	nts	
Project No.	14-081	Sheet No.	
Prepared by	Author	A802	
Checked by	Checker		
Date Feb.	27, 2015		

King King King King 235 229 231 233 Stairs #2 236 Hearing Impaired Accessible X-Wide Double Queen Double Queen King 232 230 234 ╞╾╾╼╶┥ ----G (20) 17 (18)(19) 16

INDICATES ONE HOUR FIRE RATED WALL CONSTRUCTION AS PER UL STANDARDS

INDICATES TWO HOUR FIRE RATED WALL CONSTRUCTION AS PER UL STANDARDS

ALL FIRE-RATED WALLS TO EXTEND TO STRUCTURE ABOVE AS PER FIRECODE. ALL OPENINGS AND PENETRATIONS IN FIRE RATED WALLS NEED TO MEET CODE REQUIREMENTS

ALL MECHANICAL ROOMS TO BE 2 HOUR FIRE RATED.

Review