

MD = MODULAR DIMENSION
CENTER TO CENTER OF RAFTER BARS

19'-0 3/4" (ANOMY)

MD.

10"

6-6 GASKET

BY-13 ALUMINUM CAP

WG-5 CAP GASKET

BLACK SILICONE

18" ALUM FASCLA

(COMPOSITE)

TACH WELDED &

SEAL

6-T END GASKET

(MODIFIED)

3/16" GRAY

ACRYLIC

2" X 3" X 1/8" ALUMINUM

TUBE ROLLED TO

RADIUS

1 X 1 X 1/8" ALUM

1 SPOKE TUBE BEYOND

1 VERTICAL PANEL

FULL SCALE

1/8" X 3/4" MASTIC

BEDDING TAPE

BY-12 ALUM END SILL

ALLOY 6063-T5

1/4" KEEPHOLES

3 3/16"

2 1/16"

10 GA FORMED

STEEL GUTTER

(PAINT GRN SIL)

SILICONE SEALANT

COLOR:

3/8"

2 3/8"

1 1/4"

3/8"

5/8"

3/4"

CAULKING

(NOT BY O'KEEFE'S)

GLULAM BEAM

(NOT BY O'KEEFE'S)

3/4" CEMENT PLASTER

65M COUNTER

FLASHING

(NOT BY O'KEEFE'S)

1040" ALUM JAMB

FLASHING

1/8" X 1" ACRYLIC

SPACER

2 X 3 X 1/8"

ALUM TUBE

7/8" CEMENT

PLASTER

2 END RAFTER AT WALL

FULL SCALE

3 INTERMEDIATE RAFTER

FULL SCALE

5" L GUTTER BEYOND

SHOW:

PLUG ENDS OF

GUTTER

PRINT DISTRIBUTION

DATE	TO	AMT	DATE	DESCRIPTION	BY

REVISIONS

DATE	AMT	DATE	DESCRIPTION	BY

IMPORTANT NOTES TO ARCHITECT AND CONTRACTOR

- THIS PRODUCT REQUIRES APPROX. 1 WEEKS SHOP FABRICATION AFTER APPROVED DRAWINGS AND FIELD MEASUREMENTS.
- CONTRACTOR SHALL FURNISH O'KEEFE'S, INC. FIELD VERIFIED OR GUARANTEED DIMENSIONS AT THE TIME OF RETURNED SHOP DRAWINGS IN ORDER TO EXPEDITE DELIVERY. FABRICATION CAN NOT BEGIN UNTIL FIELD DIMENSIONS ARE RECEIVED. PLEASE INDICATE GUARANTEED OR VERIFIED FIELD MEASUREMENTS ON SHOP DRAWINGS OR OTHERWISE.
- PRODUCTS ARE BASED UPON GENERAL COMPLIANCE WITH THE INFORMATION OVER IN THE CONTRACT DOCUMENTS. O'KEEFE'S, INC. DOES NOT WARRANT THAT NO DEVIATION MAY EXIST DUE TO STANDARD MANUFACTURING OR FABRICATION PROCESSES. ARCHITECT'S / CONTRACTOR'S REVIEW SHALL INDICATE ACCEPTANCE OF SCOPE WORK AS SHOWN ON SHOP DRAWINGS.
- SHOP DRAWINGS ARE FURNISHED KNOCKED DOWN FOR FIELD ASSEMBLY AND GLAZING BY OTHERS UNLESS OTHERWISE INDICATED.
- ALL PERMITTER CURB CONSTRUCTION TO BE SUPPLIED BY OTHERS. CURBS TO BE SUFFICIENTLY RIGID STRUCTURALLY ADEQUATE, AND WITHOUT DEFLECTION UNDER LOADS AS MAY BE EXERTED. ARCHITECT AND ENGINEER TO DESIGN CURBS FOR VERTICAL AND HORIZONTAL REACTIONS, WHICH CAN BE SUPPLIED BY O'KEEFE'S, INC. TO AD IN PROPER DESIGN.
- O'KEEFE'S, INC. NOT RESPONSIBLE FOR ADJACENT CONSTRUCTION. CONTRACTOR SHALL FURNISH ALL INFORMATION NECESSARY TO COORDINATE WITH OTHER TRADES.

FINISH: SEE SH-1

GLASS: N/A

SEALANT: SEE SH-1

COLOR: SEE SH-1

O'Keeffe's Inc.
75 WILLIAMS AVENUE, SAN FRANCISCO, CA 94124
TEL: (415) 822-4222 FAX: (415) 822-5222
CUSTOM AND STANDARD SKYLIGHTS,
"GLASSPROTEK" DOOR AND WALL SYSTEMS,
ARCHITECTURAL METALS AND ALUMINUM SPECIALTIES

PROJECT: HOLLYDAY INN EXPRESS,
ARCHITECT: SKL ARCHITECTURE & PLANNING
CONTRACTOR: _____
SITE ADDRESS: _____
CONTACT: _____
OFFICE () SITE () FAX ()

JOB NO. 4505
DWG NO: _____
SHEET 3 OF 5
DATE 3-11-93
DRAWN CHKD
7/51